Dart Aerospace Ltd. Tuesday, 8/22/2006 4:17:43 PM Date: User: Kim Johnston **Process Sheet** Customer : CU-DAR001 Dart Helicopters Services **Drawing Name** : 350/212/130 BASKET LID Job Number : 28298B **Estimate Number** : 10193 : D2512 : NIA Part Number P.O. Number S.O. No. : HIM : D2512 REV D2 : 8/22/2006 **Drawing Number** This Issue : N/A Prsht Rev. : NC Project Number : NIA Type : LARGE FAB ASSY : D2 First Issue **Drawing Revision** : 28297B :NIA Previous Run Material : 8/29/2006 Each Qty: 1 Um: **Due Date** Written By Checked & Approved By Added D2012-117 for D130-701-041 Comment : Rev Est:M 03 RF Est Rev:N 06.04.05 Added level21 EC **Additional Product** Job Number: Seq. #: Machine Or Operation: Description: M304TS0750W065 304 SQ Tube.75x.75x.065W Comment: Qty.: 45.7594 f(s)/Unit Total: 45.7594 f(s) 3/4"x3/4" 304/316 SS tube .063" wall M10193 2.0 D31663 Basket Hoop Comment: Qty.: 1.0000 Each(s)/Unit Total: 1.0000 Each(s) Pick: **Qty Part Number** Description Batch Barro95 1 D3166-3 Basket Hoop 3.0 D2506 Placard Comment: Qty.: 1.0000 Each(s)/Unit Total: 1.0000 Each(s) Pick: **Qty Part Number** Description Batch B24631-2 1 D2506 Label Plate B 06-09-11 4.0 D23271 Spacer Bushing

2.0000 Each(s)

Batch

Comment: Qty.:

Pick:

Qty Part Number

2 D2327-1

2.0000 Each(s)/Unit

Description

Bushing

 \mathscr{D}

Dart Aerospace Ltd

| W/O: | | WORK ORDER CHANGES | | | | | | | | |
|--|--|--------------------|----|------|-----|---------------------------------|--------------------------|--|--|--|
| DATE STEP | | PROCEDURE CHANGE | Ву | Date | Qty | Approval Mfg / Design Mgr | Approval QC Inspector | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | • | | | | | | | | |
| ······································ | | | | | | | | | | |

| NCR: | | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | | | |
|------|------|-------------------|----------------------------------|--------------------------------|----------------|--------------|------------|--------------------------|--|--|--|
| | | Description of NC | | Corrective Action Section B | | Verification | Approval | Approval QC inspector | | | |
| DATE | STEP | Section A | Initial Design Mgr | Action Description Design Mgr | Sign & Date | Section C | Design Mgr | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | : | | | | | | | | |
| | | | | | | | | | | | |
| | | | | • | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |

| Part No: | PAR #: | Fault Category: | NCR: | Yes | No | DQA: | Date | |
|----------------------------------|--------|-----------------|------|-------|--------|-------|-------|-------|
| NOTE: Date & initial all entries | | | | QA: N | I/C CI | osed: | Date: |) |

Date: Tuesday, 8/22/2006 4:17:44 PM User: Kim Johnston **Process Sheet** Drawing Name: 350/212/130 BASKET LID Customer: CU-DAR001 Dart Helicopters Services Job Number: 28298B Part Number: D2512 Job Number: Seq. #: Description: **Machine Or Operation:** Hinge 5.0 D22321 Comment: Qty.: 2.0000 Each(s)/Unit Total: 2.0000 Each(s) Pick: **Qty Part Number** Description Batch 2 D2232-1 Hinge plate D2581 6.0 Mounting Bracket Comment: Qty.: 2.0000 Each(s)/Unit Total: 2.0000 Each(s) Pick: **Qty Part Number** Description Batch 2 D2581 Mounting Bracket M304EX07516F Expanded Metal Flat Stai 7.0 Comment: Qty.: 18.0000 sf(s)/Unit Total: 18.0000 sf(s) Pick: **Qty Part Number** Description Batch 18 sf M304EX0.75-16F Expanded Metal 102001 LARGE FAB 1 LARGE FABRICATION RESOURCE 1 8.0 Comment: LARGE FABRICATION RESOURCE 1 1-Cut 3/4" x 3/4" square tubing as per Dwg D2512 2-Cut (4) D2236 From D3166-3 3-Drill holes in D2512-1 as per Dwg D2512 using Drill Jig DT8305 5-Weld as per Dwg D2512 using Welding Table and corner Jig Deburr as required 9.0 QC9/6 DDIMENSIONAL & WELDING INSPECTION Comment: DDIMENSIONAL & WELDING INSPECTION

Dart Aerospace Ltd

| W/O: | | WORK ORDER CHA | ANGES | | | | |
|------|------|------------------|-------|-------------|-----|---------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE | Ву | Date | Qty | Approval Mfg / Design Mgr | Approval QC Inspector |
| | | | | | | | |
| | | | | | | | |

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | | | | |
|------|------|----------------------------------|-----------------------|--------------------------------|----------------|-----------|------------|--------------------------|--|--|--|
| | | Description of NC | | Corrective Action Section B | Verification | Approval | Approval | | | | |
| DATE | STEP | Section A | Initial Design Mgr | Action Description Design Mgr | Sign & Date | Section C | Design Mgr | Approval QC Inspector | | | |
| | | · | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | A* | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | • • • | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | + | | | |

| Part No: | PAR #: | Fault Category: I | NCR: | Yes No DQA: | Date: <u>26/8//8</u> |
|----------------------------------|--------|-------------------|------|-----------------|----------------------|
| NOTE: Date & initial all entries | | | | QA: N/C Closed: | Date: |

Date: Tuesday, 8/22/2006 4:17:44 PM User: Kim Johnston **Process Sheet** Drawing Name: 350/212/130 BASKET LID Customer: CU-DAR001 Dart Helicopters Services Job Number: `28298B Part Number: D2512 Job Number: Seq. #: **Machine Or Operation:** Description: POWDER COATING POWDER COATING 10.0 Comment: POWDER COATING (I)Powder Coat White Gloss (Ref. 4.3.5.1) as per QSI 005 4.3 HAND FINISHING RESOURCE #1 11.0 Comment: HAND F NISHING RESOURCE #1 FC 06 04 14 Wing Walk and Spray Paint black as per Dwg D2512 and QSI 005 4.4 INSPECT POWDER COAT/CHEMICAL CONVERSION 12.0 QC3 Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION PACKAGING RESOURCE #1 13.0 PACKAGING 1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: 14.0 Comment: DOCUMENT CONTROL Inspection Level 21 Job Completion

Dart Aerospace Ltd

| W/O: | | WORK ORDER CHANGES | | | | | | | | |
|------|------|--------------------|----|------|----------|---------------------------------|--------------------------|--|--|--|
| DATE | STEP | PROCEDURE CHANGE | Ву | Date | Qty | Approval Mfg / Design Mgr | Approval QC Inspector | | | |
| | | | | | | | | | | |
| | | | | | 1 | | | | | |
| | | | | | | | | | | |
| | | • | | | | | | | | |
| | | | | | | | | | | |
| | | | | | <u> </u> | <u> </u> | <u> </u> | | | |

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | | | |
|------|------|----------------------------------|--------------------|--------------------------------|----------------|--------------|------------------------|--------------------------|--|--|
| | | Description of NC | | Corrective Action Section B | | Verification | Approval | Approval QC Inspector | | |
| DATE | STEP | Section A | Initial Design Mgr | Action Description Design Mgr | Sign & Date | Section C | Approval Design Mgr | | | |
| | | | | | | | | | | |
| | | | | | | | | 1 | | |
| | - | | | | | | | | | |
| | | | | | | | | 1 | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | 4 | | |

| Part No: | PAR #: | Fault Category: | NCR: | Yes | No | DQA: | Date: |
|----------------------------------|--------|-----------------|------|-------|--------|-------|-------|
| NOTE: Date & initial all entries | | | | QA: N | I/C CI | osed: | Date: |






| | | 1971 | to a <u>to a la finite de la calenta de la cal</u> | |
|-----|-------------|----------|--|--------|
| DE | ESIGN BW | DRAWN BY | DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA | |
| - | HECKED 1 | APPROVED | DRAWING NO. | REV. D |
| ľ | 4 | 4 | D2512 SHEET | 1 OF 4 |
| 10/ | ATE | | TITLE | SCALE |
| 1 | 1.04.19 | | BASKET LID ASSEMBLY (350/212) | NTS |
| Τ, | A | 95.11.21 | NEW ISSUE | |
| - | | | LOGED LATOUR CHANNEL & LAPEL | DIATE |

RELEASED

| 1 | ' | | 4 | UZJIZ |
|---|------|-------|----------|--|
| | DATE | 411 | 1 | TITLE SCALE |
| | 01.0 | 4.19 | • | BASKET LID ASSEMBLY (350/212) NTS |
| | Α | | 95.11.21 | NEW ISSUE |
| | В | | 96.05.24 | ADDED LATCH CHANNEL & LABEL PLATE |
| | С | | 99.07.06 | REMOVE DOUBLE SKIN SECTION, ADDED MEMBERS, INCORP. DEO 9074 |
| | D | | 01.04.19 | CHANGE HINGE |
| | DI | d (1) | 03.01.20 | ADD 02012-117 FOR D130-701-041 |
| | 02 | die | 04,09.70 | TACK WELD ANT-JIKE AREA |
| | * | | | LID ACCEMBLY |

PARTS LIST FOR D2512 BASKET LID ASSEMBLY

| COLOT NO | OULANTITY | LENCTH | LENGTH | DESCRIPTION |
|----------|-----------|--------|--------|---------------|
| PART NO | QUANTITY | LENGIA | | DESCRIPTION |
| | | Α | В | |
| D2512-1 | 2 | | 25.50 | RIB |
| D2512-3 | 2 | | 95.30 | RIB |
| D2512-5 | 6 | 30.84 | | RIB |
| D2512-7 | 3 | 30.63 | | RIB |
| D2232-1 | 2 | /\\/\^ | N/A | HINGE PLATE |
| D2236 | 4 | N/A | N/A | RIB |
| D2327-1 | 2 | N/A | N/A | BUSHING |
| D2506 | 1 | N/A | N/A | LABEL PLATE |
| D2581 | 2 | N/A | N/A | MOUNTING BRKT |



SHOP COPY RETURN TO ENGINEERING UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE


D2512-1/-3/-5/-7


CUT LENGTH/SHAPE PER DIAGRAM AND PARTS LIST MATERIAL: AISI 304/316 SS, 3/4 X 3/4 X 0.060 WALL SQUARE TUBING TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

ALL DIMENSIONS ARE IN INCHES

Copyright © 1995 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.






| | ्व यान्त्र । इति भाग । प्राप्त कार् क्त श्रीक्षेत्र । | 1 1/2, |
|--|--|--|
| 2: | | |
| | | |
| | | |
| | | |
| | | |
| k . | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| • | | |
| No. | | |
| Br. | | |
| ek of G | | |
| | | |
| | | |
| 도 한 () 분) | | |
| F | | |
| | | |
| n die | | |
| | | |
| | | |
| (4) ※ | | |
| | | |
| §5 ₹10 - | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| in the second of | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| * * | | |
| | | |
| 4. | | |
| | | |
| | | |
| | | |
| | | ! |
| tr. | | |
| | | |
| | | |
| å | | • |
| | | |
| | | |
| | | |
| | | a de la composition della comp |
| | | |
| | | |
| | | |
| | grados. | • |
| | | |




| DESIGN BW | DRAWN BY | DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA | | |
|--------------|----------|--|------------------------|--|
| CHECKED | APPROVED | DRAWING NO. D2512 | REV. D SHEET 4 OF 4 | |
| DATE | | TITLE | SCALE | |
| 01.04.19 | | BASKET LID ASSEMB | SLY (350/212) 1:8 | |




DRILL 3/8 HOLE AND INSTALL D2327-1 USING CLOSEST SPACE IN EXPANDED METAL FOR HOLE LOCATION BOTH ENDS

SECTION C-C SIMILIAR BOTH END RIBS



DETAIL E



SECTION D-D SAME BOTH CENTER RIBS

SHOP COPY RETURN TO ENGINEERING UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE

Copyright © 1995 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.